Appendix 1.2. Stepwise regression analysis of 'I treat pilonidal abscess with incision, drainage, and irrigation with hydrogen peroxide" answer in relation to other questions and answers. (Question13: How do you treat PA?)

	p	OR	95% CI lower	95% CI upper
Q2: Age				
31-40 vs. 20-30	**0.002**	0.326	0.159	0.667
41-50 vs. 20-30	0.261	0.654	0.312	1,371
51-60 vs. 20-30	0.293	0.648	0.288	1,456
61-70 vs. 20-30	**0.002**	0.173	0.058	0.518
71-80 vs. 20-30	**0.015**	0.028	0.002	0.493
Q5: Hospital setting				
Training and research vs. university	0.386	0.761	0.410	1,411
State vs. university	0.068	1,961	0.950	4,045
Private hospital vs. university	0.492	1,299	0.616	2,738
Private office vs. university	0.690	0.757	0.193	2,969
Q6: Specialty				
Hepatopancreatobiliary vs. breast and endocrine	0.242	2,770	0.502	15,278
Gastrointestinal vs. breast and endocrine	0.338	1,613	0.606	4,288
Colorectal vs. breast and endocrine	0.871	0.922	0.346	2,459
General Surgery vs. breast and endocrine	0.503	1,251	0.649	2,412
Q10: What is your preferred analgesia/anesthesia method for PA drainage				
Other	0.999	0.000	0.000	-
Q14: Do you apply any concurrent treatments during pilonidal abscess drainage?				
Unroofing	**<0.001**	3,764	2,252	6,291
Laser ablation	0.999	0.000	0.000	-
Local antibiotics	**0.023**	0.065	0.006	0.691
Q15: What is your practice regarding the use of antibiotics after PA drainage?				
I do not use antibiotics	**0.002**	0.087	0.019	0.398
Q18: What is your approach to wound care following PA drainage?				
Once a day	**0.009**	0.397	0.199	0.791
Q19: What kind of dressing do you recommend after PA drainage?				
Cleaning with serum physiologic and closed dressing with sterile gauze or sponge	**0.019**	1,926	1,113	3,334
Q20: When do you typically recommend definitive treatment after PA drainage?				
<4 weeks	0.073	0.585	0.326	1,051
4-8 weeks	0.054	1,755	0.991	3,111
Q9: Where do you usually drain PA?				
Operation room	**0.016**	1,807	1,115	2,928
Q11: Which of the followings do you prefer for local anesthesia?				

No local anesthetics	**0.004**	7,311	1,922	27,816
Cold spray	0.098	0.453	0.177	1,157
Q12: What is the preference for the incision location for PA drainage?				
The most fluctuant area	**0.008**	3,692	1,404	9,709
Close to midline	**0.006**	4,795	1,559	14,746
Lateral	**0.006**	5,190	1,600	16,831